

Personal to Home!!

asustor



Model	AS1002T	AS1004T	AS-202T	AS-202TE
Price	\$	\$ \$	\$	\$
CPU	Marvell ARMADA-385 1GHz (Dual-Core)	Marvell ARMADA-385 1GHz (Dual-Core)	Intel® ATOM™ 1.2GHz Dual-Core	Intel® ATOM™ 1.2GHz Dual-Core
Hardware Encryption Engine	✓	✓	-	-
Hardware Transcoding Engine	-	-	-	-
Memory	512MB	512MB	512MB	1GB
Maximum Internal Raw Capacity	16 TB	32TB	16 TB	16 TB
Gigabit Network	1	1	1	1
Power Consumption	13.2W (Operation); 6.6W (Disk Hibernation);	24.4W (Operation); 11.5W (Disk Hibernation);	19.7W (Operation); 12.9W (Disk Hibernation); 0.8W (Sleep Mode)	19.7W (Operation); 13W (Disk Hibernation); 0.8W (Sleep Mode)
Output	-	-	-	HDMI 1.4a x1
Infrared Receiver	-	-	-	✓
MyArchiveDisk Bays	-	-	1	1
Maximum Number of Users	1024	1024	4096	4096
VMware Ready	-	-	-	-
ASUSTOR Portal	-	-	-	Chrome, XBMC
Max. Resolution	-	-	-	1080P HD
5.1 / 7.1 MultiChannel Audio	-	-	-	✓
5.1 / 7.1 HD MultiChannel Audio	-	-	-	-
Photo Gallery	✓	✓	✓	✓
FTP Explorer	✓	✓	✓	✓
HiDrive Backup	✓	✓	✓	✓
Google Drive	✓	✓	✓	✓
Dropbox	-	-	✓	✓
Mail Server	✓	✓	✓	✓
Download Center	✓	✓	✓	✓
VPN Server	-	-	✓	✓
Max. No. of VPN Server Connections	-	-	20	20
Max. No. of Supported Cameras (With Add-On Licenses)	8	8	8	8
Surveillance Center Local Display	-	-	-	✓
SoundsGood	✓	✓	✓	✓
iTunes Server	✓	✓	✓	✓

Personal to Home!!

asustor



Model	AS-204T	AS204TE	AS-302T	AS-304T
Price	\$ \$	\$ \$	\$ \$	\$ \$
CPU	Intel® ATOM™ 1.2GHz Dual-Core	Intel® ATOM™ 1.2GHz Dual-Core	Intel® ATOM™ 1.6GHz Dual-Core	Intel® ATOM™ 1.6GHz Dual-Core
Hardware Encryption Engine	-	-	-	-
Hardware Transcoding Engine	-	-	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1
Memory	512MB	1GB	1GB	1GB
Maximum Internal Raw Capacity	32TB	32 TB	16 TB	32 TB
Gigabit Network	1	1	1	1
Power Consumption	34W (Operation); 21.5W (Disk Hibernation); 0.8W (Sleep Mode)	36W (Operation); 22.6W (Disk Hibernation); 0.8W (Sleep Mode)	19.9W (Operation); 13.4W (Disk Hibernation); 0.8W (Sleep Mode)	36.7W (Operation); 23.6W (Disk Hibernation); 0.8W (Sleep Mode)
Output	-	HDMI 1.4a x 1	HDMI 1.4a x 1	HDMI 1.4a x 1
Infrared Receiver	-	✓	✓	✓
MyArchiveDisk Bays	2	2	1	2
Maximum Number of Users	4096	4096	4096	4096
VMware Ready	-	-	-	-
ASUSTOR Portal	-	Chrome, XBMC	Chrome, XBMC	Chrome, XBMC
Max. Resolution	-	1080P HD	1080P HD	1080P HD
5.1 / 7.1 MultiChannel Audio	-	✓	✓	✓
5.1 / 7.1 HD MultiChannel Audio	-	-	-	-
Photo Gallery	✓	✓	✓	✓
FTP Explorer	✓	✓	✓	✓
HiDrive Backup	✓	✓	✓	✓
Google Drive	✓	✓	✓	✓
Dropbox	✓	✓	✓	✓
Mail Server	✓	✓	✓	✓
Download Center	✓	✓	✓	✓
VPN Server	✓	✓	✓	✓
Max. No. of VPN Server Connections	20	20	20	20
Max. No. of Supported Cameras (With Add-On Licenses)	8	8	8	8
Surveillance Center Local Display		✓	✓	✓
SoundsGood	✓	✓	✓	✓
iTunes Server	✓	✓	✓	✓

Personal to Home!!

asustor



Model	AS3102T	AS3104T		
Price	\$ \$	\$ \$		
CPU	Intel Celeron 1.6GHz Dual-Core (burst up to 2.08~2.48GHz)	Intel Celeron 1.6GHz Dual-Core (burst up to 2.08~2.48GHz)		
Hardware Encryption Engine	✓	✓		
Hardware Transcoding Engine	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1		
Memory	2GB	2GB		
Maximum Internal Raw Capacity	16 TB	32 TB		
Gigabit Network	1	1		
Power Consumption	13.7W (Operation); 7.47W (Disk Hibernation); 0.69W (Sleep Mode)	24.5W (Operation); 11.1W (Disk Hibernation); 0.69W (Sleep Mode)		
Output	HDMI 1.4b x 1	HDMI 1.4b x 1		
Infrared Receiver	✓	✓		
MyArchiveDisk Bays	-	-		
Maximum Number of Users	4096	4096		
VMware Ready	-	-		
ASUSTOR Portal	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI		
Max. Resolution	2160P 4K	2160P 4K		
5.1 / 7.1 MultiChannel Audio	✓	✓		
5.1 / 7.1 HD MultiChannel Audio	✓	✓		
Photo Gallery	✓	✓		
FTP Explorer	✓	✓		
HiDrive Backup	✓	✓		
Google Drive	✓	✓		
Dropbox	✓	✓		
Mail Server	✓	✓		
Download Center	✓	✓		
VPN Server	✓	✓		
Max. No. of VPN Server Connections	30	30		
Max. No. of Supported Cameras (With Add-On Licenses)	16	16		
Surveillance Center Local Display	✓	✓		
SoundsGood	✓	✓		
iTunes Server	✓	✓		

Home to Power User!

asustor

Model	AS5002T	AS5004T	AS5008T	AS5010T
Price	\$ \$	\$ \$	\$ \$ \$	\$ \$ \$
CPU	Intel Celeron 2.41GHz Dual-Core (burst up to 2.58GHz)	Intel Celeron 2.41GHz Dual-Core (burst up to 2.58GHz)	Intel Celeron 2.41GHz Dual-Core (burst up to 2.58GHz)	Intel Celeron 2.41GHz Dual-Core (burst up to 2.58GHz)
Hardware Encryption Engine	-	-	-	-
Hardware Transcoding Engine	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1
Memory	1GB (Expandable. Max 8GB)	1GB (Expandable. Max 8GB)	1GB (Expandable. Max 8GB)	1GB (Expandable. Max 8GB)
Maximum Internal Raw Capacity	16 TB	32 TB	64TB	80 TB
Gigabit Network	2	2	4	4
Power Consumption	17.4W (Operation); 8.4W (Disk Hibernation); 1.8W (Sleep Mode)	30.8W (Operation); 12.1W (Disk Hibernation); 1.8W (Sleep Mode)	59W (Operation); 32W (Disk Hibernation); 3.2W (Sleep Mode)	74.2W (Operation); 35.2W (Disk Hibernation); 3.2W (Sleep Mode)
Output	HDMI 1.4a x 1, S/PDIF x1	HDMI 1.4a x 1, S/PDIF x1	HDMI 1.4a x 1, S/PDIF x1	HDMI 1.4a x 1, S/PDIF x1
Infrared Receiver	✓	✓	✓	✓
MyArchiveDisk Bays	1	2	2	2
Maximum Number of Users	4096	4096	4096	4096
VMware Ready	NFS	NFS	NFS	NFS
ASUSTOR Portal	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI
Max. Resolution	1080P HD	1080P HD	1080P HD	1080P HD
5.1 / 7.1 MultiChannel Audio	✓	✓	✓	✓
5.1 / 7.1 HD MultiChannel Audio	✓	✓	✓	✓
Photo Gallery	✓	✓	✓	✓
FTP Explorer	✓	✓	✓	✓
HiDrive Backup	✓	✓	✓	✓
Google Drive	✓	✓	✓	✓
Dropbox	✓	✓	✓	✓
Mail Server	✓	✓	✓	✓
Download Center	✓	✓	✓	✓
VPN Server	✓	✓	✓	✓
Max. No. of VPN Server Connections	30	30	30	30
Max. No. of Supported Cameras (With Add-On Licenses)	25	25	25	25
Surveillance Center Local Display	✓	✓	✓	✓
SoundsGood	✓	✓	✓	✓
iTunes Server	✓	✓	✓	✓

Home to Power User!

asustor



Model	AS6102T	AS6104T		
Price	\$ \$	\$ \$		
CPU	Intel Celeron 1.6GHz Dual-Core (burst up to 2.08~2.48GHz)	Intel Celeron 1.6GHz Dual-Core (burst up to 2.08~2.48GHz)		
Hardware Encryption Engine	✓	✓		
Hardware Transcoding Engine	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1		
Memory	2GB (Expandable. Max 8GB)	2GB (Expandable. Max 8GB)		
Maximum Internal Raw Capacity	16 TB	32 TB		
Gigabit Network	2	2		
Power Consumption	16.6W (Operation); 9.5W (Disk Hibernation); 0.96W (Sleep Mode)	27.5W (Operation); 13.6W (Disk Hibernation); 0.95W (Sleep Mode)		
Output	HDMI 1.4b x 1, S/PDIF x1	HDMI 1.4b x 1, S/PDIF x1		
Infrared Receiver	✓	✓		
MyArchiveDisk Bays	1	2		
Maximum Number of Users	4096	4096		
VMware Ready	NFS	NFS		
ASUSTOR Portal	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI		
Max. Resolution	2160P 4K	2160P 4K		
5.1 / 7.1 MultiChannel Audio	✓	✓		
5.1 / 7.1 HD MultiChannel Audio	✓	✓		
Photo Gallery	✓	✓		
FTP Explorer	✓	✓		
HiDrive Backup	✓	✓		
Google Drive	✓	✓		
Dropbox	✓	✓		
Mail Server	✓	✓		
Download Center	✓	✓		
VPN Server	✓	✓		
Max. No. of VPN Server Connections	30	30		
Max. No. of Supported Cameras (With Add-On Licenses)	25	25		
Surveillance Center Local Display	✓	✓		
SoundsGood	✓	✓		
iTunes Server	✓	✓		

Power User to Business!

asustor

Model	AS5102T	AS5104T	AS5108T	AS5110T
Price	\$ \$	\$ \$	\$ \$ \$	\$ \$ \$ \$
CPU	Intel Celeron 2.0GHz Quad-Core (burst up to 2.41GHz)	Intel Celeron 2.0GHz Quad-Core (burst up to 2.41GHz)	Intel Celeron 2.0GHz Quad-Core (burst up to 2.41GHz)	Intel Celeron 2.0GHz Quad-Core (burst up to 2.41GHz)
Hardware Encryption Engine	-	-	-	-
Hardware Transcoding Engine	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1
Memory	2GB (Expandable. Max 8GB)	2GB (Expandable. Max 8GB)	2GB (Expandable. Max 8GB)	2GB (Expandable. Max 8GB)
Maximum Internal Raw Capacity	16 TB	32 TB	64TB	80 TB
Gigabit Network	2	2	4	4
Power Consumption	17.7W (Operation); 8.7W (Disk Hibernation); 1.8W (Sleep Mode)	31.5W (Operation); 12.3W (Disk Hibernation); 1.8W (Sleep Mode)	59.1W (Operation); 32.1W (Disk Hibernation); 3.2W (Sleep Mode)	74.8W (Operation); 36.7W (Disk Hibernation); 3.2W (Sleep Mode)
Output	HDMI 1.4a x 1, S/PDIF x1	HDMI 1.4a x 1, S/PDIF x1	HDMI 1.4a x 1, S/PDIF x1	HDMI 1.4a x 1, S/PDIF x1
Infrared Receiver	✓	✓	✓	✓
MyArchiveDisk Bays	1	2	2	2
Maximum Number of Users	4096	4096	4096	4096
VMware Ready	NFS	NFS	NFS	NFS
ASUSTOR Portal	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI
Max. Resolution	1080P HD	1080P HD	1080P HD	1080P HD
5.1 / 7.1 MultiChannel Audio	✓	✓	✓	✓
5.1 / 7.1 HD MultiChannel Audio	✓	✓	✓	✓
Photo Gallery	✓	✓	✓	✓
FTP Explorer	✓	✓	✓	✓
HiDrive Backup	✓	✓	✓	✓
Google Drive	✓	✓	✓	✓
Dropbox	✓	✓	✓	✓
Mail Server	✓	✓	✓	✓
Download Center	✓	✓	✓	✓
VPN Server	✓	✓	✓	✓
Max. No. of VPN Server Connections	30	30	30	30
Max. No. of Supported Cameras (With Add-On Licenses)	25	25	25	25
Surveillance Center Local Display	✓	✓	✓	✓
SoundsGood	✓	✓	✓	✓
iTunes Server	✓	✓	✓	✓

Power User to Business!

asustor

Model	AS6202T	AS6204T		
Price	\$ \$	\$ \$ \$		
CPU	Intel Celeron 1.6GHz Quad-Core (burst up to 2.08~2.24GHz)	Intel Celeron 1.6GHz Quad-Core (burst up to 2.08~2.24GHz)		
Hardware Encryption Engine	✓	✓		
Hardware Transcoding Engine	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1		
Memory	4GB (Expandable. Max 8GB)	4GB (Expandable. Max 8GB)		
Maximum Internal Raw Capacity	16 TB	32 TB		
Gigabit Network	2	2		
Power Consumption	16.6W (Operation); 9.5W (Disk Hibernation); 0.96W (Sleep Mode)	27.5W (Operation); 13.6W (Disk Hibernation); 0.95W (Sleep Mode)		
Output	HDMI 1.4b x 1, S/PDIF x1	HDMI 1.4b x 1, S/PDIF x1		
Infrared Receiver	✓	✓		
MyArchiveDisk Bays	1	2		
Maximum Number of Users	4096	4096		
VMware Ready	NFS	NFS		
ASUSTOR Portal	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI		
Max. Resolution	2160P 4K	2160P 4K		
5.1 / 7.1 MultiChannel Audio	✓	✓		
5.1 / 7.1 HD MultiChannel Audio	✓	✓		
Photo Gallery	✓	✓		
FTP Explorer	✓	✓		
HiDrive Backup	✓	✓		
Google Drive	✓	✓		
Dropbox	✓	✓		
Mail Server	✓	✓		
Download Center	✓	✓		
VPN Server	✓	✓		
Max. No. of VPN Server Connections	30	30		
Max. No. of Supported Cameras (With Add-On Licenses)	25	25		
Surveillance Center Local Display	✓	✓		
SoundsGood	✓	✓		
iTunes Server	✓	✓		

Small & Medium Business!

asustor



Model	AS7004T	AS7008T	AS7010T	
Price	\$ \$ \$ \$	\$ \$ \$ \$	\$ \$ \$ \$	
CPU	Intel® Core i3 3.5GHz Dual-Core	Intel® Core i3 3.5GHz Dual-Core	Intel® Core i3 3.5GHz Dual-Core	
Hardware Encryption Engine	✓	✓	✓	
Hardware Transcoding Engine	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	H.264 (AVC), MPEG-4 Part 2, MPEG-2, VC-1	
Memory	2GB (Expandable. Max 16GB)	2GB (Expandable. Max 16GB)	2GB (Expandable. Max 16GB)	
Maximum Internal Raw Capacity	32 TB	64TB	80TB	
Gigabit Network	2	2	2	
Power Consumption	17.4W (Operation); 8.4W (Disk Hibernation); 1.8W (Sleep Mode)	30.8W (Operation); 12.1W (Disk Hibernation); 1.8W (Sleep Mode)	59W (Operation); 32W (Disk Hibernation); 3.2W (Sleep Mode)	
Output	HDMI 1.4a x 1, S/PDIF x1	HDMI 1.4a x 1, S/PDIF x1	HDMI 1.4a x 1, S/PDIF x1	
Infrared Receiver	✓	✓	✓	
MyArchiveDisk Bays	2	2	2	
Maximum Number of Users	16384	16384	16384	
VMware Ready	NFS, iSCSI	NFS, iSCSI	NFS, iSCSI	
ASUSTOR Portal	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI	YouTube TV, Chrome, KODI	
Max. Resolution	2160P 4K	2160P 4K	2160P 4K	
5.1 / 7.1 MultiChannel Audio	✓	✓	✓	
5.1 / 7.1 HD MultiChannel Audio	✓	✓	✓	
Photo Gallery	✓	✓	✓	
FTP Explorer	✓	✓	✓	
HiDrive Backup	✓	✓	✓	
Google Drive	✓	✓	✓	
Dropbox	✓	✓	✓	
Mail Server	✓	✓	✓	
Download Center	✓	✓	✓	
VPN Server	✓	✓	✓	
Max. No. of VPN Server Connections	40	40	40	
Max. No. of Supported Cameras (With Add-On Licenses)	49	49	49	
Surveillance Center Local Display	✓	✓	✓	
SoundsGood	✓	✓	✓	
iTunes Server	✓	✓	✓	