



| Model             | DRIVESTOR 2 Lite<br>AS1102TL                    | DRIVESTOR 4<br>AS1104T                                   | DRIVESTOR 2 Pro Gen2<br>AS3302T v2              | DRIVESTOR 4 Pro Gen2<br>AS3304T v2                       |
|-------------------|-------------------------------------------------|----------------------------------------------------------|-------------------------------------------------|----------------------------------------------------------|
| Processor         | Realtek RTD1619B<br>1.7 GHz Quad-Core Processor | Realtek RTD1296<br>1.4 GHz Quad-Core Processor           | Realtek RTD1619B<br>1.7 GHz Quad-Core Processor | Realtek RTD1619B<br>1.7 GHz Quad-Core Processor          |
| Memory            | 1GB DDR4<br>(non-upgradeable)                   | 1GB DDR4<br>(non-upgradeable)                            | 2GB DDR4<br>(non-upgradeable)                   | 2GB DDR4<br>(non-upgradeable)                            |
| Drive Bays        | 2x 3½" SATA III                                 | 4x 3½" SATA III                                          | 2x 2½"/3½" SATA III                             | 4x 2½"/3½" SATA III                                      |
| M.2               | —                                               | —                                                        | —                                               | —                                                        |
| USB               | 1 x USB 3.2 Gen1x1<br>1 x USB 2.0               | 2x USB 3.2 Gen 1                                         | 3x USB 3.2 Gen 1                                | 3x USB 3.2 Gen 1                                         |
| LAN               | 1 x Gigabit (Wake On LAN)                       | 1x 2.5-Gigabit (Wake On WAN)                             | 1x 2.5-Gigabit (Wake On WAN)                    | 1x 2.5-Gigabit (Wake On WAN)                             |
| Expansion         | —                                               | —                                                        | —                                               | —                                                        |
| Dimensions(HxWxD) | 165x102x218 mm                                  | 165x164x218 mm                                           | 170x114x230 mm                                  | 170x174x230 mm                                           |
| Weight            | 1.14kg / 2.5lb                                  | 1.57kg / 3.45lb                                          | 1.6kg / 3.53lb                                  | 2.2kg / 4.85lb                                           |
| Power             | 65W AC Adapter                                  | 90W AC Adapter                                           | 65W AC Adapter                                  | 90W AC Adapter                                           |
| Operation         | 11.7W                                           | 22.8W                                                    | 13.1W                                           | 25.1W                                                    |
| Disk Hibernation  | 3.1W                                            | 9.41W                                                    | 4.5W                                            | 8.4W                                                     |
| Sleep Mode (S3)   | —                                               | —                                                        | —                                               | —                                                        |
| Volume Type       | Single, JBOD, RAID 0/1                          | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5 + Spare Drive | Single, JBOD, RAID 0/1                          | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5 + Spare Drive |
| Display Out       | —                                               | —                                                        | —                                               | —                                                        |
| Infrared Receiver | —                                               | —                                                        | —                                               | —                                                        |
| Service LED       | —                                               | —                                                        | —                                               | —                                                        |
| Disk Tray Lock    | —                                               | —                                                        | —                                               | —                                                        |
| LCD Panel         | —                                               | —                                                        | —                                               | —                                                        |
|                   | —                                               | —                                                        | —                                               | —                                                        |



| Model             | AS5402T                                               | AS5404T                                               | FLASHSTOR 6 FS6706T                                        | FLASHSTOR 12 Pro FS6712X                                   |
|-------------------|-------------------------------------------------------|-------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------|
| Processor         | Intel Celeron N5105 Quad-Core, 2.0 GHz up to 2.9 GHz  | Intel Celeron N5105 Quad-Core, 2.0 GHz up to 2.9 GHz  | Intel Celeron N5105 Quad-Core, 2.0 GHz up to 2.9 GHz       | Intel Celeron N5105 Quad-Core, 2.0 GHz up to 2.9 GHz       |
| Memory            | 4GB DDR4-2933 SO-DIMM (Expandable. max. 16GB, 8GB x2) | 4GB DDR4-2933 SO-DIMM (Expandable. max. 16GB, 8GB x2) | 4GB DDR4-2933 SO-DIMM (Expandable. max. 16GB, 8GB x2)      | 4GB DDR4-2933 SO-DIMM (Expandable. max. 16GB, 8GB x2)      |
| Drive Bays        | 2x 2½"/3½" SATA III                                   | 4x 2½"/3½" SATA III                                   | —                                                          | —                                                          |
| M.2               | 4x M.2 PCIe (NVMe) Support M.2 2280                   | 4x M.2 PCIe (NVMe) Support M.2 2280                   | 6x M.2 PCIe (NVMe) Support M.2 2280                        | 12x M.2 PCIe (NVMe) Support M.2 2280                       |
| USB               | 3x USB 3.2 Gen 2x1 (1x Front ; 2x Rear)               | 3x USB 3.2 Gen 2x1 (1x Front ; 2x Rear)               | 2x USB 3.2 Gen 2x1 (1x Front ; 1x Rear) 2x USB 2.0         | 2x USB 3.2 Gen 2x1 (1x Front ; 1x Rear) 2x USB 2.0         |
| LAN               | 2x 2.5-Gigabit (Wake On WAN)                          | 2x 2.5-Gigabit (Wake On WAN)                          | 2x 2.5-Gigabit (Wake On WAN)                               | 1x 10-Gigabit (Wake On LAN)                                |
| Expansion         | —                                                     | —                                                     | —                                                          | —                                                          |
| Dimensions(HxWxD) | 170x114x230 mm                                        | 170x174x230 mm                                        | 48.3x308.26x193 mm                                         | 48.3x308.26x193 mm                                         |
| Weight            | 1.71kg / 3.77lb                                       | 2.26kg / 4.98lb                                       | 1.35 kg / 2.98 lb                                          | 1.37 kg / 3 lb                                             |
| Power             | 65W AC Adapter                                        | 90W AC Adapter                                        | 65W AC Adapter                                             | 90W AC Adapter                                             |
| Operation         | 22.9W                                                 | 38.3W                                                 | 18.2 W                                                     | 26 W                                                       |
| Disk Hibernation  | 12.7W                                                 | 17.7W                                                 | —                                                          | —                                                          |
| Sleep Mode (S3)   | 0.71W                                                 | 0.81W                                                 | 0.83 W                                                     | —                                                          |
| Volume Type       | Single, JBOD, RAID 0/1                                | Single, JBOD, RAID 0/1/5/6/10, RAID 1/5 + Spare Drive | Single, JBOD, RAID 0/1/5/6/10, RAID 1/5/6/10 + Spare Drive | Single, JBOD, RAID 0/1/5/6/10, RAID 1/5/6/10 + Spare Drive |
| Display Out       | 1x HDMI™                                              | 1x HDMI™                                              | 1x HDMI™                                                   | 1x HDMI™                                                   |
| Infrared Receiver | Yes                                                   | Yes                                                   | Yes                                                        | Yes                                                        |
| Service LED       | —                                                     | —                                                     | —                                                          | —                                                          |
| Disk Tray Lock    | —                                                     | —                                                     | —                                                          | —                                                          |
| LCD Panel         | —                                                     | —                                                     | —                                                          | —                                                          |
| Audio Output      | —                                                     | —                                                     | 1x S/PDIF                                                  | 1x S/PDIF                                                  |



| Model             | LOCKERSTOR 2 Gen2<br>AS6702T                             | LOCKERSTOR 4 Gen2<br>AS6704T                             | LOCKERSTOR 6 Gen2<br>AS6706T                                  |
|-------------------|----------------------------------------------------------|----------------------------------------------------------|---------------------------------------------------------------|
| Processor         | Intel Celeron N5105 Quad-Core,<br>2.0GHz up to 2.9 GHz   | Intel Celeron N5105 Quad-Core,<br>2.0GHz up to 2.9 GHz   | Intel Celeron N5105 Quad-Core,<br>2.0GHz up to 2.9 GHz        |
| Memory            | 4GB DDR4-2933 SO-DIMM<br>(Expandable. max. 16GB, 8GB x2) | 4GB DDR4-2933 SO-DIMM<br>(Expandable. max. 16GB, 8GB x2) | 8GB DDR4-2933 SO-DIMM<br>(Expandable. max. 16GB, 8GB x2)      |
| Drive Bays        | 2x 2½"/3½" SATA III                                      | 4x 2½"/3½" SATA III                                      | 6x 2½"/3½" SATA III                                           |
| M.2               | 4x M.2 PCIe (NVMe)<br>Support M.2 2280                   | 4x M.2 PCIe (NVMe)<br>Support M.2 2280                   | 4x M.2 PCIe (NVMe)<br>Support M.2 2280                        |
| USB               | 2x USB 3.2 Gen 2x1<br>(1x Front ; 1x Rear)               | 2x USB 3.2 Gen 2x1<br>(1x Front ; 1x Rear)               | 2x USB 3.2 Gen 2x1<br>(1x Front ; 1x Rear)                    |
| LAN               | 2x 2.5-Gigabit<br>(Wake On WAN)                          | 2x 2.5-Gigabit<br>(Wake On WAN)                          | 2x 2.5-Gigabit<br>(Wake On WAN)                               |
| Expansion         | —                                                        | 1x for optional expansion 10 GbE card*                   | 1x for optional expansion 10 GbE card*                        |
| Dimensions(HxWxD) | 163.5x108x230 mm                                         | 185.5x170x230 mm                                         | 185.5x233x230 mm                                              |
| Weight            | 2 kg / 4.41 lb                                           | 2.94 kg / 6.48 lb                                        | 4.4 kg / 9.7 lb                                               |
| Power             | 65W AC Adapter                                           | 90W AC Adapter                                           | 250W                                                          |
| Operation         | 21W                                                      | 35W                                                      | 48.5W                                                         |
| Disk Hibernation  | 13.5W                                                    | 17.3W                                                    | 27.7W                                                         |
| Sleep Mode (S3)   | 0.79W                                                    | 0.88W                                                    | 0.81W                                                         |
| Volume Type       | Single, JBOD, RAID 0/1                                   | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5 + Spare Drive | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive |
| Display Out       | 1x HDMI™                                                 | 1x HDMI™                                                 | 1x HDMI™                                                      |
| Infrared Receiver | Yes                                                      | Yes                                                      | Yes                                                           |
| Service LED       | —                                                        | —                                                        | —                                                             |
| Disk Tray Lock    | Yes                                                      | Yes                                                      | —                                                             |
| LCD Panel         | —                                                        | Yes                                                      | —                                                             |
| Audio Output      | —                                                        | —                                                        | —                                                             |



| Model             | FLASHSTOR 6 Gen2<br>FS6806X                                          | FLASHSTOR 12 Pro Gen2<br>FS6812X                                     |
|-------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|
| Processor         | AMD Ryzen V3C14 Quad-Core,<br>2.3 GHz up to 3.8 GHz                  | AMD Ryzen V3C14 Quad-Core,<br>2.3 GHz up to 3.8 GHz                  |
| Memory            | 8GB DDR5-4800 SO-DIMM<br>(Expandable. max. 64GB, ECC supported)      | 16GB ECC DDR5-4800 SO-DIMM<br>(Expandable. max. 64GB, 32GB x2)       |
| Drive Bays        | —                                                                    | —                                                                    |
| M.2               | 6x M.2 PCIe (NVMe) Support M.2 2280<br>Supports PCIe 4.0             | 12x M.2 PCIe (NVMe) Support M.2 2280<br>Supports PCIe 4.0 and 3.0    |
| USB               | 3x USB 3.2 Gen 2 (2x Front; 1x Rear)<br>2 x USB 4.0 Type-C (2x Rear) | 3x USB 3.2 Gen 2 (2x Front; 1x Rear)<br>2 x USB 4.0 Type-C (2x Rear) |
| LAN               | 1x 10-Gigabit                                                        | 2x 10-Gigabit                                                        |
| Expansion         | —                                                                    | —                                                                    |
| Dimensions(HxWxD) | 48.3x308.26x193 mm                                                   | 48.3x308.26x193 mm                                                   |
| Weight            | 1.4 kg / 3.08 lb                                                     | 1.45 kg / 3.19 lb                                                    |
| Power             | 90W AC Adapter                                                       | 120W AC Adapter                                                      |
| Operation         | 17.9W                                                                | 33.2W                                                                |
| Disk Hibernation  | —                                                                    | —                                                                    |
| Sleep Mode (S3)   | 1.2W                                                                 | 2.8W                                                                 |
| Volume Type       | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive        | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive        |
| Display Out       | —                                                                    | —                                                                    |
| Infrared Receiver | —                                                                    | —                                                                    |
| Service LED       | —                                                                    | —                                                                    |
| Disk Tray Lock    | —                                                                    | —                                                                    |
| LCD Panel         | —                                                                    | —                                                                    |
| Audio Output      | —                                                                    | —                                                                    |

\*Installation of 10GbE NIC requires removal of M.2 daughterboard.

**asustor**



| Model             | LOCKERSTOR 4 Gen3<br>AS6804T                                                                                  | LOCKERSTOR 6 Gen3<br>AS6806T                                                                                  | LOCKERSTOR 8 Gen3<br>AS6808T                                                                                  | LOCKERSTOR 10 Gen3<br>AS6810T                                                                                 |
|-------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Processor         | AMD Ryzen V3C14 Quad-Core,<br>2.3 GHz up to 3.8 GHz                                                           | AMD Ryzen V3C14 Quad-Core,<br>2.3 GHz up to 3.8 GHz                                                           | AMD Ryzen V3C14 Quad-Core,<br>2.3 GHz up to 3.8 GHz                                                           | AMD Ryzen V3C14 Quad-Core,<br>2.3 GHz up to 3.8 GHz                                                           |
| Memory            | 16GB ECC DDR5-4800 SO-DIMM<br>(Expandable. max. 64GB, 32GB x2)                                                | 16GB ECC DDR5-4800 SO-DIMM<br>(Expandable. max. 64GB, 32GB x2)                                                | 16GB ECC DDR5-4800 SO-DIMM<br>(Expandable. max. 64GB, 32GB x2)                                                | 16GB ECC DDR5-4800 SO-DIMM<br>(Expandable. max. 64GB, 32GB x2)                                                |
| Drive Bays        | 4x 2½"/3½" SATA III                                                                                           | 6x 2½"/3½" SATA III                                                                                           | 8x 2½"/3½" SATA III                                                                                           | 10x 2½"/3½" SATA III                                                                                          |
| M.2               | 4x M.2 slots for NVMe SSDs<br>Supports M.2 2280 SSDs<br>Supports PCIe 4.0                                     | 4x M.2 slots for NVMe SSDs<br>Supports M.2 2280 SSDs<br>Supports PCIe 4.0                                     | 4x M.2 slots for NVMe SSDs<br>Supports M.2 2280 SSDs<br>Supports PCIe 4.0                                     | 4x M.2 slots for NVMe SSDs<br>Supports M.2 2280 SSDs<br>Supports PCIe 4.0                                     |
| USB               | 3x USB 3.2 Gen 2 (2x Front; 1x Rear)<br>2 x USB 4.0 Type-C (2x Rear)                                          | 3x USB 3.2 Gen 2 (2x Front; 1x Rear)<br>2 x USB 4.0 Type-C (2x Rear)                                          | 3x USB 3.2 Gen 2 (2x Front; 1x Rear)<br>2 x USB 4.0 Type-C (2x Rear)                                          | 3x USB 3.2 Gen 2 (2x Front; 1x Rear)<br>2 x USB 4.0 Type-C (2x Rear)                                          |
| LAN               | 2x 5-Gigabit (Wake On LAN/WAN)<br>2x 10-Gigabit                                                               | 2x 5-Gigabit (Wake On LAN/WAN)<br>2x 10-Gigabit                                                               | 2x 5-Gigabit (Wake On LAN/WAN)<br>2x 10-Gigabit                                                               | 2x 5-Gigabit (Wake On LAN/WAN)<br>2x 10-Gigabit                                                               |
| Expansion         | 1x for optional expansion 10 GbE card<br>*Installation of 10GbE NIC requires<br>removal of M.2 daughterboard. | 1x for optional expansion 10 GbE card<br>*Installation of 10GbE NIC requires<br>removal of M.2 daughterboard. | 1x for optional expansion 10 GbE card<br>*Installation of 10GbE NIC requires<br>removal of M.2 daughterboard. | 1x for optional expansion 10 GbE card<br>*Installation of 10GbE NIC requires<br>removal of M.2 daughterboard. |
| Dimensions(HxWxD) | 185.5x170x230 mm                                                                                              | 185.5x233x230 mm                                                                                              | 215.5x293x230 mm                                                                                              | 215.5x293x230 mm                                                                                              |
| Weight            | 3.2 kg / 7.06 lb                                                                                              | 4.6 kg / 10.14lb                                                                                              | 6.45 kg / 14.22 lb                                                                                            | 6.55 kg / 14.44 lb                                                                                            |
| Power             | 90W AC Adapter                                                                                                | 250W                                                                                                          | 250W                                                                                                          | 250W                                                                                                          |
| Operation         | 34W                                                                                                           | 45W                                                                                                           | 58.5W                                                                                                         | 68W                                                                                                           |
| Disk Hibernation  | 18W                                                                                                           | 20W                                                                                                           | 25W                                                                                                           | 26W                                                                                                           |
| Sleep Mode (S3)   | 2.3W                                                                                                          | 2.3W                                                                                                          | 2.4W                                                                                                          | 2.4W                                                                                                          |
| Volume Type       | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5 + Spare Drive                                                      | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive                                                 | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive                                                 | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive                                                 |
| Display Out       | —                                                                                                             | —                                                                                                             | —                                                                                                             | —                                                                                                             |
| Infrared Receiver | —                                                                                                             | —                                                                                                             | —                                                                                                             | —                                                                                                             |
| Service LED       | —                                                                                                             | —                                                                                                             | —                                                                                                             | —                                                                                                             |
| Disk Tray Lock    | Yes                                                                                                           | Yes                                                                                                           | Yes                                                                                                           | Yes                                                                                                           |
| LCD Panel         | Yes                                                                                                           | Yes                                                                                                           | Yes                                                                                                           | Yes                                                                                                           |
| Audio Output      | —                                                                                                             | —                                                                                                             | —                                                                                                             | —                                                                                                             |



| Model             | LOCKERSTOR 8<br>AS6508T                                           | LOCKERSTOR 10<br>AS6510T                                          | LOCKERSTOR 10 Pro<br>AS7110T                                      |
|-------------------|-------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------|
| Processor         | Intel ATOM C3538 2.1GHz Quad-Core                                 | Intel ATOM C3538 2.1GHz Quad-Core                                 | Intel 9 <sup>th</sup> generation Quad-Core Xeon 4.6GHz Turbo      |
| Memory            | 8GB SO-DIMM DDR4<br>(Expandable. max. 64GB, 32GB x2)              | 8GB SO-DIMM DDR4<br>(Expandable. max. 64GB, 32GB x2)              | 8GB ECC DDR4-2666 SO-DIMM<br>(Expandable. max. 64GB, 32GB x2)     |
| Drive Bays        | 8x 2½"/3½" SATA III                                               | 10x 2½"/3½" SATA III                                              | 10x 2½"/3½" SATA III                                              |
| M.2               | 2x M.2 PCIe (NVMe) or SATA SSD<br>Support M.2 2280, 2260 and 2242 | 2x M.2 PCIe (NVMe) or SATA SSD<br>Support M.2 2280, 2260 and 2242 | 2x M.2 PCIe (NVMe) or SATA SSD<br>Support M.2 2280, 2260 and 2242 |
| USB               | 2x USB 3.2 Gen 1<br>(1x Front; 1x Rear)                           | 2x USB 3.2 Gen 1<br>(1x Front; 1x Rear)                           | 1x USB 3.2 Gen 1 (Front)<br>2x USB 3.2 Gen 2 (Rear)               |
| LAN               | 2x 2.5 Gigabit (Wake On WAN),<br>2x 10 Gigabit                    | 2x 2.5 Gigabit (Wake On WAN),<br>2x 10 Gigabit                    | 3x 2.5-Gigabit,<br>1x 10-Gigabit                                  |
| Expansion         | —                                                                 | —                                                                 | —                                                                 |
| Dimensions(HxWxD) | 215.5x293x230 mm                                                  | 215.5x293x230 mm                                                  | 215.5x293x230 mm                                                  |
| Weight            | 6.2kg / 13.67lb                                                   | 6.4kg / 14.1lb                                                    | 7.1 kg / 15.62 lb                                                 |
| Power             | 250W                                                              | 250W                                                              | 350W                                                              |
| Operation         | 66.9W                                                             | 76.8W                                                             | 78.7W                                                             |
| Disk Hibernation  | 37.2W                                                             | 41.1W                                                             | 40.1W                                                             |
| Sleep Mode (S3)   | —                                                                 | —                                                                 | 5.8W                                                              |
| Volume Type       | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive     | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive     | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 0/1/5/6/10 + Spare Drive   |
| Display Out       | —                                                                 | —                                                                 | —                                                                 |
| Infrared Receiver | —                                                                 | —                                                                 | —                                                                 |
| Service LED       | —                                                                 | —                                                                 | —                                                                 |
| Disk Tray Lock    | Yes                                                               | Yes                                                               | Yes                                                               |
| LCD Panel         | Yes                                                               | Yes                                                               | Yes                                                               |
| Audio Output      | —                                                                 | —                                                                 | —                                                                 |



| Model             | LOCKERSTOR 4RS/4RD<br>AS6504RS/RD                        | LOCKERSTOR 12RD<br>AS6512RD                                   | LOCKERSTOR 12R PRO GEN2<br>AS7212RDX, 2U                                  | LOCKERSTOR 16R PRO GEN2<br>AS7216RDX, 3U                                  |
|-------------------|----------------------------------------------------------|---------------------------------------------------------------|---------------------------------------------------------------------------|---------------------------------------------------------------------------|
| Processor         | Intel ATOM C3538 2.1GHz Quad-Core                        | Intel ATOM C3538 2.1GHz Quad-Core                             | AMD Ryzen 7 PRO 7745 Octa-Core, 5.3GHz Turbo                              | AMD Ryzen 7 PRO 7745 Octa-Core, 5.3GHz Turbo                              |
| Memory            | 8GB SO-DIMM DDR4<br>(Expandable. max. 128GB, 32GB x4)    | 8GB SO-DIMM DDR4<br>(Expandable. max. 128GB, 32GB x4)         | 16GB ECC UDIMM DDR5-4800<br>(Expandable. max. 192GB, 48GB x4)             | 16GB ECC UDIMM DDR5-4800<br>(Expandable. max. 192GB, 48GB x4)             |
| Drive Bays        | 4x 2½"/3½" SATA III                                      | 12x 2½"/3½" SATA III                                          | 12x 2½"/3½" SATA III                                                      | 16x 2½"/3½" SATA III                                                      |
| M.2               | —                                                        | —                                                             | 1x M.2 slots for NVMe SSDs<br>Supports M.2 2280 SSDs<br>Supports PCIe 5.0 | 1x M.2 slots for NVMe SSDs<br>Supports M.2 2280 SSDs<br>Supports PCIe 5.0 |
| USB               | 4x USB 3.2 Gen 1                                         | 4x USB 3.2 Gen 1                                              | 4x USB 3.2 Gen 1 (Type A)                                                 | 4x USB 3.2 Gen 1 (Type A)                                                 |
| LAN               | 2x 2.5 Gigabit (Wake On WAN)<br>2x 1 Gigabit             | 2x 2.5 Gigabit (Wake On WAN)<br>2x 1 Gigabit                  | 2x 10-Gigabit, 2x Gigabit                                                 | 2x 10-Gigabit, 2x Gigabit                                                 |
| Expansion         | 1x for optional expansion<br>10 GbE card                 | 1x for optional expansion<br>10 GbE card                      | 2x for optional expansion<br>10,25,40,50GbE card and SAS card             | 2x for optional expansion<br>10,25,40,50GbE card and SAS card             |
| Dimensions(HxWxD) | 44x439x515 mm                                            | 88x439x535 mm                                                 | 88x439x576 mm                                                             | 116x439x576 mm                                                            |
| Weight            | 4RS: 7.85kg / 17.27lb<br>4RD: 9.3kg / 20.46lb            | 11.7kg / 25.74lb                                              | 14 kg / 30.9 lb                                                           | 15.3 kg / 33.7 lb                                                         |
| Power             | 4RS : 250W x1<br>4RD : 250W x2                           | 350W x2 (80 Plus Gold)                                        | 550W x2 (80 Plus Platinum)                                                | 550W x2 (80 Plus Platinum)                                                |
| Operation         | 4RS: 47.7W<br>4RD: 65W                                   | 115W                                                          | 102W                                                                      | 187W                                                                      |
| Disk Hibernation  | 4RS: 28.4W<br>4RD: 42.4W                                 | 67W                                                           | 99W                                                                       | 128W                                                                      |
| Sleep Mode (S3)   | —                                                        | —                                                             | —                                                                         | —                                                                         |
| Volume Type       | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5 + Spare Drive | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive             | Single, JBOD, RAID 0/1/5/6/10,<br>RAID 1/5/6/10 + Spare Drive             |
| Display Out       | —                                                        | —                                                             | —                                                                         | —                                                                         |
| Infrared Receiver | —                                                        | —                                                             | —                                                                         | —                                                                         |
| Service LED       | Yes                                                      | Yes                                                           | Yes                                                                       | Yes                                                                       |
| Disk Tray Lock    | Yes                                                      | Yes                                                           | Yes                                                                       | Yes                                                                       |
| LCD Panel         | —                                                        | —                                                             | —                                                                         | —                                                                         |
| Audio Output      | —                                                        | —                                                             | —                                                                         | —                                                                         |